

L Number	Hits	Search Text	DB	Time stamp
1	65279	reduc\$4 with quality	USPAT; US-PGPUB	2003/09/16 12:39
2	98	pre\$1empt\$3 with reserv\$7	USPAT; US-PGPUB	2003/09/16 12:39
3	65442	reduc\$4 with (quality or qos)	USPAT; US-PGPUB	2003/09/16 12:39
4	5	(pre\$1empt\$3 with reserv\$7) and (reduc\$4 with (quality or qos))	USPAT; US-PGPUB	2003/09/16 12:39
5	5	((pre\$1empt\$3 with reserv\$7) and (reduc\$4 with (quality or qos))) and @ad<19971104	USPAT; US-PGPUB	2003/09/16 12:41
6	11591	utiliz\$7 with bandwidth	USPAT; US-PGPUB	2003/09/16 12:40
7	97	(reduc\$4 with (quality or qos)) same (utiliz\$7 with bandwidth)	USPAT; US-PGPUB	2003/09/16 12:40
8	46	((reduc\$4 with (quality or qos)) same (utiliz\$7 with bandwidth)) and @ad<19971104	USPAT; US-PGPUB	2003/09/16 12:45
9	1505	(utiliz\$7 with bandwidth) same (connection\$1 or session\$1)	USPAT; US-PGPUB	2003/09/16 12:45
10	25639	(connection\$1 or session\$1) same (qos or quality)	USPAT; US-PGPUB	2003/09/16 12:45
11	551	((utiliz\$7 with bandwidth) same (connection\$1 or session\$1)) and ((connection\$1 or session\$1) same (qos or quality))	USPAT; US-PGPUB	2003/09/16 12:45
12	154	((utiliz\$7 with bandwidth) same (connection\$1 or session\$1)) and ((connection\$1 or session\$1) same (qos or quality))) and @ad<19971104	USPAT; US-PGPUB	2003/09/16 12:52
13	21599	(reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)	USPAT; US-PGPUB	2003/09/16 12:51
14	540	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same temporar\$3	USPAT; US-PGPUB	2003/09/16 12:52
15	45	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same temporar\$3) same (quality or qos)	USPAT; US-PGPUB	2003/09/16 12:55
16	22	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same temporar\$3) same (quality or qos)) and @ad<19971104	USPAT; US-PGPUB	2003/09/16 12:56
17	45053	(signal or channel) with (quality or qos)	USPAT; US-PGPUB	2003/09/16 12:56
18	83	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same temporar\$3) and ((signal or channel) with (quality or qos))	USPAT; US-PGPUB	2003/09/16 12:56
19	48	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same temporar\$3) and ((signal or channel) with (quality or qos))) and @ad<19971104	USPAT; US-PGPUB	2003/09/16 13:04
20	95	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same pre\$1empt\$3	USPAT; US-PGPUB	2003/09/16 13:04
21	35	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same pre\$1empt\$3) and @ad<19971104	USPAT; US-PGPUB	2003/09/16 13:16
22	1606	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same stream\$1	USPAT; US-PGPUB	2003/09/16 13:15
23	5926	quality with stream\$1	USPAT; US-PGPUB	2003/09/16 13:16
24	276	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same stream\$1) and (quality with stream\$1)	USPAT; US-PGPUB	2003/09/16 13:16
25	98	((reserv\$7 or allocat\$3 or allot\$3) with (bandwidth or capacity)) same stream\$1) and (quality with stream\$1)) and @ad<19971104	USPAT; US-PGPUB	2003/09/16 13:27
26	1148	reservation with protocol	USPAT; US-PGPUB	2003/09/16 13:27
27	240	pre\$1empt\$3 same stream\$3	USPAT; US-PGPUB	2003/09/16 13:27
28	3	(reservation with protocol) and (pre\$1empt\$3 same stream\$3)	USPAT; US-PGPUB	2003/09/16 13:27
29	1	((reservation with protocol) and (pre\$1empt\$3 same stream\$3)) and @ad<19971104	USPAT; US-PGPUB	2003/09/16 13:28
30	11	pre\$1empt\$3 with (second\$3 or other) with (connection\$1 or session\$1)	USPAT; US-PGPUB	2003/09/16 13:28
31	6	(pre\$1empt\$3 with (second\$3 or other) with (connection\$1 or session\$1)) and @ad<19971104	USPAT; US-PGPUB	2003/09/16 13:28

EAST - [Untitled1:1]

File View Edit Tools Window Help

☒ L9: (1505) I6 same (connection\$1 or
☒ L10: (25639) (connection\$1 or sessio
☒ L11: (551) I9 and I10
☒ L12: (154) I11 and @ad<19971104
☒ L13: (21599) (reserv\$7 or allocat\$3 c
☒ L14: (540) I13 same temporar\$3
☒ L15: (45) I14 same (quality or qos)
☒ L16: (22) I15 and @ad<19971104
☒ L17: (45053) (signal or channel) with
☒ L18: (83) I14 and I17
☒ L19: (48) I18 and @ad<19971104
☒ L20: (95) I13 same pre\$1empt\$3
☒ L21: (35) I20 and @ad<19971104
☒ L22: (1606) I13 same stream\$1
☒ L23: (5926) quality with stream\$1
☒ L24: (276) I22 and I23
☒ L25: (98) I24 and @ad<19971104
☒ L26: (1148) reservation with protocol
☒ L27: (240) pre\$1empt\$3 same strear
☒ L28: (3) I26 and I27
☒ L29: (1) I28 and @ad<19971104
☒ L30: (11) pre\$1empt\$3 with (second\$
☒ L31: (6) I30 and @ad<19971104

☐ Failed
☐ Saved
☐ Favorites
☒ Tagged (2)
☐ UDC
☐ Queue
☐ Trash

Search List Browse Queue Clear

DBs: USPAT; US-PGPUB ☐ Plurals

Default operator: OR ☒ Highlight all hit terms initially

BRS form IS&R1... Image Text HTML

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6038214 A	20000314	11	Method and apparatus for controlling communication	370/230	370/351; 370/408;
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5687167 A	19971111	22	Method for preempting connections in high speed packet switching networks	370/254	370/406; 370/444

Hits Details HTML

Ready NUM

L Number	Hits	Search Text	DB	Time stamp
-	2	5481537.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:42
-	12	"0535860" "0478190"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 12:32
-	0	"0535860" "0478190"	EPO	2003/01/08 12:32
-	0	ep0535860	EPO	2003/01/08 12:32
-	0	"Congestion control for high speed"	EPO	2003/01/08 12:33
-	1	"535860"	EPO	2003/01/08 12:34
-	1	"478190"	EPO	2003/01/08 12:34
-	806	reservation with protocol	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:03
-	390	"reservation protocol"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:20
-	4	"reservation protocol" with "data stream"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 12:41
-	6	(reservation with protocol) with "data stream"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 12:48
-	16	(reservation with protocol) with multicast	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 12:49
-	5	(reservation with protocol) with unicast with multicast	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 12:50
-	5	(reservation with protocol) with unicast	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 13:17
-	407	709/231.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 13:48

-	6	709/231.ccls. and (reservation with protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 13:18
-	1	((reservation with protocol) with "data stream") and "radio network"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 13:18
-	33	(reservation with protocol) and "radio network"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 13:21
-	11	"reservation protocol" and "radio network"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 13:21
-	5	"reservation protocol" and "radio network" and transmitter and receiver	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/08 13:21
-	232	("sending device" or "transmitting device" or sender or transmitter) same (receiver or "receiving device") same network same "radio network"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:02
-	806	reservation with protocol	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:03
-	1	((("sending device" or "transmitting device" or sender or transmitter) same (receiver or "receiving device") same network same "radio network") and (reservation with protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:13
-	629	hierarchical with coding	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:14
-	3	"hierarchical coding" with "data streams"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:19
-	0	hierarch\$6 and 6058113.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:19
-	0	hierarch\$6 and 5481537.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:19
-	0	hierarch\$6 and 6031827.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:19

-	105	"hierarchical coding" with data	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 10:19
-	15092	709/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 13:48
-	169	709/\$.ccls. and (reservation with resource)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 13:48
-	9903	705/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/01/09 15:55
-	414	"reservation protocol"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:20
-	1	"reservation protocol" with update	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:22
-	27	"reservation protocol" and (reservation with updat\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:27
-	8	("reservation protocol" and (reservation with updat\$3)) and priorit\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/08 13:28
-	619	shunt\$6 with temp\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:46
-	339	shunt\$6 with temporarily	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:44
-	1	shunt\$6 with temporarily with stream	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:45
-	0	shunt\$6 with temporarily with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:45
-	1	shunt\$6 with temp\$6 with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:46

-	50	(shunt\$6 or switch\$4) with temp\$6 with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:46
-	48	(shunt\$6 or switch\$4) with tempor\$4 with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:57
-	1198	(shunt\$6 or switch\$4) with tempor\$4 with data	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:57
-	18	(shunt\$6) with tempor\$4 with data	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 09:57